

Model: WS for Deseo by BASALTE®

Model No.: 10-01-165

Family: **WALL-SMART** 

DWG NO. 10-04-165-SPC

PRODUCT SPEC

REVISION

DATE 03/May/2013



## **Make Your Wall Smart**

## WS for Deseo - Product description:

The WS for Deseo is an adapter for in-wall flush installation of a Deseo keypad. The WS for Deseo securely mounts the keypad while allowing easy access, insertion and

removal.

## Key features and benefits:

- Flush with the wall.
- Paintable with the wall paint in any color and texture.
- Allows easy insertion and exertion of the keypad by manual push and magnet detachment of the keypad tray.
- The adapter is supplied unpainted (To be painted after installation as part of the wall).
- Designed to be installed in ½" drywall. Installation of the Wall-Smart adapter is straight-forward. Installation process is similar to drywall construction procedures. Before installation, read Wall-Smart installation instruction 10-04-00101-INS in http://www.wall-smart.com/faq
- For installation in concrete/block wall use "WS Concrete Box 142x142" P/N 10-01-112 (sold separately) according installation instruction 10-04-00103-INS in http://www.wall-smart.com/faq
- Designed for all Deseo keypads by Basalte © (keypad not included).
- Adapter kit contains:
  - 1. Wall adapter;
  - 2. Keypad adapter;
  - 3. (2x) M3 screw;
  - 4. (2x) M3 nut;

## **Key properties:**

- Dimensions (W/H/D): 141mm (5.6")/ 141mm (5.6")/ 22mm (0.86")
- Power Supply: None (manual adapter).
- Weight: 0.19Kg, 0.42lbs.
- Material: Chemically treated, Moisture resistant MDF





