



Model: WS NC FOR SONOS ARC US/UK

Family: WALL-SMART

DWG NO. 085-4NA17-U-SPC

Model No.: 085-1NA17-UBL/UWH

PRODUCT SPEC.

REVISION A

DATE 05/Dec./2024







Make Your Wall Smart

"WS NC FOR SONOS ARC US/UK" - Product description:

The "WS NC FOR SONOS ARC US/UK" is an adapter for in-wall flush installation of a SONOS ARC sound bar.
 The "WS NC FOR SONOS ARC US/UK" conceals the sound bar while allowing easy access, removal and operation.


Key features and benefits:

- Flush with the wall.
- Paintable with the wall paint in any color and texture.
- Allows easy insertion and removal of the sound bar.
- The adapter is supplied unpainted (To be painted after installation as part of the wall).
- Wall adapter includes knockouts to install UK or US backboxes and sockets (See page 4 for backbox installation instructions)
 (To install a EU or IL backbox use 085-1NA17-EBL/EWH "WS NC FOR SONOS ARC EU/IL")
- Wall adapter is designed for the use with the following backboxes:
 - UK – BS4662 2 Gang (or equivalent)
 - US – HUBBELL Racobox 420 (or equivalent)
- Wall adapter is designed for High Fidelity audio output.
- The grille is available with white cloth (UWH) or with black cloth (UBL)
- The white grille is offered in a "Leaves" pattern, or a "Rectangles" pattern (See page 6 for Pattern options)
- The grille is made of high quality acoustic and IR transparent fabric.
- The grille attaches magnetically to the wall mount.
- Designed to be installed in 1/2" drywall. Installation of the Wall-Smart adapter is straight-forward. Installation process is similar to drywall construction procedures. Before installation, read Wall-Smart installation instruction 10-04-00101-INS in <http://www.wallsmart.com/faq>
- Designed for the use with ARC sound bar (by SONOS) (not included).
- Wall adapter is supplied unassembled (See page 3 for instructions)
- See page 2 for package content



Key properties:


- Dimensions: (W/H/D): 1516.4mm (59.7")/297.2mm (11.7")/ 158.6mm (6.24")
- Weight: 6.7Kg, 14.7lbs.
- Material: Moisture resistant MDF (compliant with TSCA Title VI)





Adapter kit contains:

1. Front frame (X1)
2. Back wall (X1)
3. Top wall (X1)
4. Bottom wall (X1)
5. Side wall EU (X1)
6. Side wall IL (X1)
7. Grille (X1)
8. ST3x25 screws (X34)
9. KA3.5x8 screws (x4)





Model: WS NC FOR SONOS ARC US/UK

Family: WALL-SMART

DWG NO. 085-4NA17-U-SPC

Model No.: 085-1NA17-UBL/UWH

PRODUCT SPEC.


REVISION A

DATE 05/Dec./2024



ASSEMBLY INSTRUCTIONS


1




Insert components 2,5 & 6 into the Bottom wall (item 4)

Insert & screw Top wall (item 3) using 10 screws (item 8)

2



3




Rotate while holding the bottom wall

Screw in Bottom wall (item 4) using 10 screws (item 8)


4

Insert & screw Front frame (item 1) using 14 screws (item 8)







US BACKBOX AND SOCKETS INSTALLATION




1. REMOVE US KNOCKOUT




2. SCREW IN A RACOBX 420 (OR EQUIVALENT) AND INSTALL RECEPTAL



UK BACKBOX AND SOCKETS INSTALLATION





1. REMOVE UK KNOCKOUT



2. SCREW IN A BS4662 2 GANG BOX (OR EQUIVALENT)

3. INSTALL RECEPTACLE





Model: WS NC FOR SONOS ARC US/UK

Family: WALL-SMART


DWG NO. 085-4NA17-U-SPC

Model No.: 085-1NA17-UBL/UWH


PRODUCT SPEC.

REVISION A


DATE 05/Dec./2024





1. INSTALL THE MOUNT IN DRYWALL ACCORDING TO INSTALLATION INSTRUCTION 10-04-00101-INS IN <<http://www.wall-smart.com/faq>>




2. CONNECT SOUND BAR AND PLACE IT IN THE WALL MOUNT



3. ATTACH GRILLE MAGNETICALLY



4. PUSH THE CORNER TO CLOSE





Model: WS NC FOR SONOS ARC US/UK

Family: WALL-SMART

DWG NO. 085-4NA17-U-SPC

Model No.: 085-1NA17-UBL/UWH

PRODUCT SPEC.



REVISION A

DATE 05/Dec./2024



085-1NA17 white grille pattern options:

① 085-1NA17-UWH1



② 085-1NA17-UWH2

